


Phoenix, AZ
June 2011


Gerald (Gerry) Hiatt, Ph.D.
U.S. EPA, Region 9
415-972-3064
hiatt.gerald@epa.gov

Soil Gas and Indoor Air

- Vapor intrusion = soil gas entering overlying buildings
- Indoor air levels will be much lower than soil gas levels
 - most indoor air comes from outside (windows, doors)
 - any soil gas that does enter a building gets diluted



TCE Risk-Based Screening Levels




Protective risk range for residential exposures - TCE indoors in homes:

1.2 to 10 μ g/m³

- 24 hours/day
- 350 days/year
- 30 years

PCE Risk-Based Screening Levels



Protective risk range for residential exposures - PCE indoors in homes :

 $0.41 \text{ to } 35 \text{ µg/m}^3$

- 24 hours/day
- 350 days/year
- 30 years



Soil Gas Human Health Screening Levels (SGHHSLs)

Then indoor air less than:

➤TCE: 1.2

➤PCE: 0.41


If soil gas <u>less</u> than:

➤TCE: 520

➤PCE: 180

(SGHHSLs)

All values µg/m³



Potential for vapor intrusion - additional assessment needed:

Additional soil gas (step-out samples)

➤ Indoor air



If soil gas **greater** than SGHHSLs

➤TCE: 520

▶PCE: 180